

Bed Frame Assembly Instruction Guide



Supplied Fittings

A	B	C	D	E	F
 x 1	 x 9	 x 4	 x 4	 x 5	 x 6

01WM-01H 2022-03-07

Please check you have the correct fittings and read through before commencing with assembly

Please move to step 4 if you aren't using the legs

LEG OPTIONS

LEG OPTION 1




LEG OPTION 2



LEG OPTION 3



Step 1



Remove small plastic foot by unscrewing

Step 2



LEG OPTION 1



LEG OPTION 2



LEG OPTION 3

Screw in the leg positioning the screw hole on the inside. Do not over tighten.


Once the leg is inplace, secure in position using the screw provided. This is to prevent the leg from rotating out of position

Screw in the leg positioning the plate on the inside. Do not over tighten.

Once the leg is inplace, secure in position using the screw provided. This is to prevent the leg from rotating out of position

Attach the leg inplace using the bolt and allen key provided. Make sure to position the leg correctly before fully tightening

Step 3



Place the 2 frames together and put the two flat bars on each side. Slot bolt (E) through, starting with the flat bar that has square holes. Use a flanged nut (B) and tighten up using the spanner provided.

Once completed, place the metal frame to one side.

Step 4



Slot the side rail onto the bolts on the headboard.

Quick tip: It's easier to fit the side rails at a slight angle


Step 5



Use the allen key provided (A) to tighten the bolts onto the brackets


Repeat steps 4 and 5 for both sides to attach the headboard and footend to the side rails

Step 6



Slot the frame brackets (F) onto the side rails, footend and headboard in the desired position. Ensure all brackets are set at the same height level

Step 7



Place metal frame onto the brackets and secure with bolt (D), washer (C) and flanged nut (B) as shown. Repeat for the 4 brackets on the side rails.

(The brackets on the headboard and footend do not need bolting)

Your bed is now fully assembled.

Please do not use without a mattress and periodically check that all fixings are tightened correctly